

Index to volume 31 (1991)

Articles (titles in italics refer to Research and technical notes)

January (pp 1–72)

- Thermal conductivity of evacuated perlite at low temperatures as a function of load and load history
W.P. Dubé, L.L. Sparks and A.J. Slifka 3–6
- Radiation resistance of polymer composites at 77 K: effects of reinforcing fabric type, specimen thickness, radiation type and irradiation atmosphere
S. Egusa 7–15
- Magneto-resistance of a highly stable industrial-grade platinum resistance thermometer between 20 and 240 K
K. Nara, H. Kato and M. Okaji 16–20
- Dynamic stability of edge-cooled superconducting tapes
J. Schwartz, J.P. Friedberg and J.E.C. Williams 21–32
- Effect of starting materials on the critical parameters of superconducting TiCaBaCuO compounds
I. Kirschner, S. Leppävuori, R. Laiho, A.D. Caplin, I. Halász, T. Porjesz, A. Uusimäki, G. Zsolt, E. Lähderanta, T. Kármán, J. Laverty and Gy. Kovács 33–40
- 77–4.2 K downlead concept based on thin-film BiCaSrCu oxide
W.N. Lawless 41–47
- High gain micropower amplifier for cryogenic applications
C.H. Downey 48–50
- Mechanical characteristics of NdFeB magnets at low temperature
P. Védre, P. Tixador, Y. Brunet, J.C. Bobo, A. Fevrier and A. Leriche 51–53
- Low temperature calorimetry using an optical heating method
P. Gutsmedl, Chr. Probst and K. Andres 54–57
- Simple and inexpensive cryogenic bolometers
G. Gallinaro, F. Gatti and S. Terreni 58–60
- New $^3\text{He}/^4\text{He}$ refrigerator
G. Dall'Oglio, L. Pizzo, L. Piccirillo and L. Martinis 61–63
- Growth of vapour bubbles from artificial nucleation sites
R. Rammig and R. Weiss 64–69

February (pp 73–144)

- He II flowmetering
S.W. Van Sciver, D.S. Holmes, X. Huang and J.G. Weisend II 75–86
- Realization of the lambda transition temperature of liquid ^4He
Naihao Song, C.S. Hong, Yuzhu Mao, Peng Lin, Qinggeng Zhang and Liang Zhang 87–93
- Plantinum NMR thermometry in high magnetic fields
D. Candela and D.R. McAllister 94–98

- Automated temperature regulation system for adiabatic demagnetization refrigerators
G. Bernstein, S. Labov, D. Landis, N. Madden, I. Millet, E. Silver and P. Richards 99–101
- Heat capacity and thermal expansion of Zerodur and Zerodur M at low temperatures
S.J. Collocott and G.K. White 102–104
- Dependence of critical current density on grain morphology in BiCaSrCu $_2$ O $_x$ ceramic
D.A. Cardwell, J.W. Cockburn, L. Cowey and H. Jones 105–109
- Stability analysis of a forced-flow cooled superconducting coil: numerical simulation of multiple stability
A. Kamitani, T. Amano, S. Sekiya and A. Ohara 110–118
- Novel magnetometer and the interpretation of low field magnetic hysteresis of high T_c superconductors
G.E. Gough, M.S. Colclough, D.A. O'Connor, F. Wellhofer, N.McN. Alford and T.W. Button 119–127
- Effect of geometrical deformations on the strength and homogeneity of magnetic fields trapped in superconducting cylinders
S.H. Dietzfelbinger and M.G. Richards 128–131
- Sidelobe suppression in small Josephson junctions
R.L. Peterson 132–135
- Cryogenic grinding technology for traditional Chinese herbal medicine*
Simo Li, Shuangyan Ge, Zhongping Huang, Qun Wang, Haoping Zhao and Huaiyu Pan 136–137
- Reliable low-temperature NMR cell for pressure studies*
N.S. Sullivan, C.M. Edwards and D. Zhou 138–139

March (pp 145–216)

- Numerical model for cooling a gravitational wave detector below 1 K
M. Bassan, E. Coccia, N. Menci and I. Modena 147–152
- Effect of primary coil size on eddy current decay resistivity measurements
K.T. Hartwig, C.Y. Hua and L.C. McDonald 153–158
- Deformation properties of indium-based solders at 294 and 77 K
M. Plötner, B. Donat and A. Benke 159–162
- Vibration test cryostat
R. Schlegelmilch 163–165
- Magnetocaloric effect in HoCo $_2$ compound
S.A. Nikitin and A.M. Tishin 166–167
- Calorimetry by means of the relaxation and dual-slope methods below 1 K: application to some high T_c superconductors
R.W. Willekers, H.C. Meijer, F. Mathu and H. Postma 168–173
- Liquid hydrogen condenser and current lead designs for liquid hydrogen critical current measurements of superconductors
Y. Iwasa 174–177
- Relation of critical current density to diamagnetic magnetization in polycrystalline BiPbSrCaCuO
Y.G. Wang, S.L. Yuan, Y. Yang, X.Z. Xiong and G.C. Han 178–182
- Excess magnetization due to interfilamentary proximity coupling in Nb–Ti multifilamentary wires
N. Harada, Y. Mawatari, O. Miura, Y. Tanaka and K. Yamafuji 183–191
- General criterion for intrinsic stabilization of superconducting composites with high resistive matrix
P. Maccioni and B. Turck 192–203
- Cool-down efficiency of circulation type superconducting devices
S.P. Gorbachev and A.A. Krikunov 204–208
- Effective passivation of YBaCuO superconducting bridges by photoresist overlayers
G.S.N. Reddy, A.K. Gupta, V.S. Tomar, N. Khare, V.N. Ojha and D.K. Walia 209–211

April (pp 217–324)

- Low temperature mechanical and thermal properties of liquid crystal polymers
D. Evans and J.T. Morgan 220–222
- Microscopic aspects of solute–solvent interaction in doped polymer systems investigated via hole burning spectroscopy
W. Richter, S. Reul and D. Haarer 223–227
- Thermal conductivity of modified epoxy resins with different cross-link densities at low temperatures
M. Jäckel, M. Müller, A. Licea Claverie and K.F. Arndt 228–230
- Fatigue behaviour of polymers
G. Hartwig and S. Knaak 231–233
- Fracture energy of polymers at low temperatures
T. Saatkamp and G. Hartwig 234–237
- Thermal conductivity of fibre composites at low temperatures
P.G. Klemens 238–240
- Thermal conductivity of filled epoxy composites
E.E. Ustjushanin 241–243
- Thermal expansion of carbon fibre composites with thermoplastic matrices
G. Schwarz, F. Krahn and G. Hartwig 244–247

Index

- Fatigue properties of unidirectional carbon fibre composites at cryogenic temperatures
K. Pannkoke and H.-J. Wagner 248–251
- Cryogenic mechanical response of carbon fibre reinforced plastics with thermoplastic matrices to quasi-static loads
K. Ahlborn 252–256
- Durability of carbon fibre reinforced plastics with thermoplastic matrices under cyclic mechanical and cyclic thermal loads at cryogenic temperatures
K. Ahlborn 257–260
- Three-dimensional fabric reinforced plastics for cryogenic use
Y. Iwasaki, J. Yasuda, T. Hirokawa, K. Noma, S. Nishijima and T. Okada 261–264
- Damage in carbon fibre reinforced epoxy after thermal cycling and T-fatigue loading
H. Eggers, W. Hartung and S. Knaak 265–268
- Boundary layer induced modification of thermal and mechanical properties of epoxy resin composites
M. Jäckel and W. Scheibner 269–272
- Radiation damage of organic composite material for fusion magnet
S. Nishijima, T. Okada, T. Hirokawa, J. Yasuda and Y. Iwasaki 273–276
- Insulation irradiation test programme for the Compact Ignition Tokamak
T.J. McManamy, G. Kanemoto and P. Snook 277–281
- Use of resin composites for cryogenic tankage
M.T. Callaghan 282–287
- Design of support strap with advanced composite for cryogenic application
T. Hirokawa, J. Yasuda, Y. Iwasaki, K. Noma, S. Nishijima and T. Okada 288–291
- Evaluation of structural integrity of superconducting magnet coils
G.W. Knight and D. Evans 292–297
- Basic material data and structural analysis of fibre composite components for space application
H. Bansemir and O. Haider 298–306
- Research and development of insulating materials for large helical device
T. Okada, S. Nishijima, K. Takahata and J. Yamamoto 307–311
- Influence of test geometry on tensile strength of fibre reinforced plastics at cryogenic temperatures
E. Tschegg, K. Humer and H.W. Weber 312–318
- Fabrication techniques for thermoplastic composites
R. Weiss 319–322
- May (pp 325–396)**
- Measurement device with cold oscillator for measuring vapour content in helium two-phase flow
H. Katheder and M. Süsser 327–329
- Flow patterns of two-phase helium in horizontal channels
A.I. Alexeyev, Yu. P. Filippov and I.S. Mamedov 330–337
- Flight performance of a rocket-borne ^3He refrigerator
L. Duband, D. Alsop, A. Lange, S. Hayata, T. Matsumoto and S. Sato 338–340
- Temperature dependent stability and protection parameters in an adiabatic superconducting magnet
J.N. Brown IV and Y. Iwasa 341–347
- Breakdown of superconductivity in a zinc whisker with controllable quasiparticle flooding
X. Yang and R. Tidecks 348–353
- Hysteresis losses in hollow superconducting filaments and in multifilament systems
J.A. Eikelboom and L.J.M. van de Klundert 354–362
- Apparatus for calorimetric measurement of a.c. losses in superconductors
J.A. Eikelboom 363–365
- Patterning of high T_c films for critical current measurements
W.K. Schomburg, M. Heidinger, G. Nöther, J. Reiner, V. Windte, W. Schauer and K. Kadel 366–368
- SQUID magnetometer designed for high T_c superconductors
M. Kohl and J.P. Harrison 369–372
- Direct observation of magnetic flux inhomogeneity in the vicinity of high temperature superconductors
A.I. Belyaeva, S.V. Vojtsenya and V.P. Yuriyev 373–378
- Intergranular flux creep in c-axis aligned ceramic $\text{RBa}_2\text{Cu}_3\text{O}_x$ ($R = \text{Y, Dy and Ho}$)
N. Nakamura and M. Shimotomai 379–383
- Behaviour of quasi-optical dielectric resonator with high T_c superconductors in the temperature range 10–300 K
N.T. Cherpak and A.Ya. Kirichenko 384–387
- Superconductivity of Au–Sn eutectic solder
D. Dummer, P. Andersen and W. Weyhmann 388–389
- Reduced sensitivity of Nb_3Sn epoxy-impregnated cable to transverse stress
B. Jakob, G. Pasztor, M. Bona and A. Asner 390–391
- Boiling heat transfer to liquid helium from surface with pin-fins
H. Ogata, H. Kuwahara, H. Noguchi and T. Nakagawa 392–393
- June (pp 397–484)**
- Simulation of tensile strength of anisotropic fibre-reinforced composites at low temperature
H.H. Abdelmohsen 399–404
- Thermal conductivities of magnetic intermetallic compounds for cryogenic regenerator
M. Ogawa, R. Li and T. Hashimoto 405–410
- Research on chill-down time of liquid hydrogen pump
T.-Y. Lin 411–416
- Possible design for a thin wire resistance thermometer with isotropic magnetoresistance
K. Nara, H. Kato and M. Okaji 417–420
- Versatile system for point contact conductance spectroscopy
H. Srikanth and A.K. Raychaudhuri 421–424
- Instrumentation for highly sensitive measurement of magnetocaloric effect: application to high T_c superconductors
H. Kato, K. Nara and M. Okaji 425–430
- Achievement of high current density in Nb–Ti superconducting multifilamentary wires by introducing designed artificial pins
K. Yamafuji, N. Harada, Y. Mawatari, K. Funaki, T. Matsushita, K. Matsumoto, O. Miura and Y. Tanaka 431–438
- Preparation of 110 K BiPbSrCaCuO thin films by d.c. magnetron sputtering and their transport properties
Y.H. Wang, L. Li, Y.Z. Zhang, Y.Y. Zhao and P. Xu 439–443
- Critical energy of thermally insulated composite superconductors
L. Malinowski 444–449
- Investigations and developments in the field of superconductive turbogenerators
I.A. Glebov and L.I. Chubraeva 450–452
- New silver powders with large surface area as heat exchanger materials
W. Itoh, A. Sawada, A. Shinozaki and Y. Inada 453–455
- Sealing performance of gaskets and flanges against superfluid helium
H. Ishimaru and H. Yoshiki 456–458
- Experimental model of the TG-5000 flux pump
V.V. Vasil'ev, V.N. Isaykin, O.D. Konzyuba, E.B. Klimova, V.G. Kozorezov, V.A. Kulagin, A.A. Markov, V.Ya. Pakhomov, A.N. Romanov, B.A. Serebryakov, N.A. Sysoev and A.A. Forostenko 459–460
- July (pp 485–692)**
- Superconductor stability '90: a review
L. Dresner 489–498
- Stabilization, protection and current density: some general observations and speculations
M.N. Wilson 499–503
- Probability of premature quenches due to conductor motion in superconducting windings
T. Takao, O. Tsukamoto and S. Honjo 504–509
- Design criteria for stability in cable-in-conduit conductors
L. Bottura, N. Mitchell and J.V. Minervini 510–515
- Stability of superconductors cooled internally by He II heat transfer
S.W. Van Sciver 516–520
- Stabilization of Cu–Ni/Nb–Ti superconductors by MgO powder
S. Yokoyama, S. Yamamoto, S. Nakamura and T. Yamada 521–523
- Stability of superconducting magnetic shield
K. Seo, S. Nishijima, T. Okada and K. Katagiri 524–527
- Influence of copper to superconductor ratio on stability of superconductors
N. Amemiya and O. Tsukamoto 528–532
- Dynamic stability of superconductors cooled by pool boiling
T. Ito and H. Kubota 533–537
- Stability measurements on the 50 kA SMES conductor
J.M. Pfothenauer 538–542
- Stability measurements of three-component Nb–Ti superconducting wires
Y. Tanaka, K. Yamada, T. Sano and K. Doi 543–546

- Numerical analysis of thermal stability of an immersion-cooled, pancake type superconducting coil
S. Okada, J.-K. Kim, T. Aihara and K. Kuroda 547–550
- Influence of mass flow rate and hydraulic perimeter on the transient stability margin of a forced flow cooled superconductor
K. Agatsuma 551–556
- Theory of thermal hydraulic quenchback in cable-in-conduit superconductors
L. Dresner 557–561
- Quench protection of superconducting magnet using ZnO arrester
T. Ishigohka and Y. Kushiyo 562–565
- Estimation of maximum voltage of superconducting magnet systems during a quench
T. Tominaka, N. Hara and K. Kuroda 566–569
- Compact 17 T epoxy-impregnated magnet without bore tube
M. Urata, H. Maeda, N. Aoki and G. Uchiyama 570–574
- Stability issues in high performance superconducting magnets
Y. Iwasa 575–579
- Stability of high current density magnets with narrow liquid helium channel cooling
Yan Luguang, Yi Changlian and Qin Jie 580–584
- Statistical study on stability and quench protection of pool cooled superconducting magnets
O. Tsukamoto, N. Amemiya, H. Kagami and S. Yamamura 585–589
- Static and dynamic characteristics of Nb₃Ge layers for rapid superconducting power switches
I. Hlásnik, J. Kokavec, K. Fröhlich and L. Janšák 590–593
- Instability in kiloamp class a.c. superconducting cables
K. Funaki, M. Nakashima, M. Iwakuma, M. Takeo and K. Yamafuji 594–597
- Quench characteristics of a.c. superconducting coils
S. Akita, H. Kasahara and S. Torii 598–600
- Numerical analysis of a.c. losses in superconductors
H. Hashizume, T. Sugiura, K. Miya, Y. Ando, S. Akita, S. Torii, Y. Kubota and T. Ogasawara 601–606
- Frequency dependence of quench current of a.c. superconducting winding for linear induction motor
N. Amemiya, T. Sugita, T. Takao, O. Tsukamoto, Y. Tanaka, K. Oishi, H. Shimizu, S. Sato, Y. Yoneyama and S. Yatabe 607–611
- A.c. stability and a.c. loss in composite superconductors
L.J.M. van de Klundert 612–617
- Transient heat transfer to a closed volume of He I and its influence on superconductor stability
C. Schmidt 618–623
- Heat transport in insulation of cables cooled by superfluid helium
C. Meuris 624–628
- Stability and protection of Tore Supra superconducting coils
B. Turck 629–633
- Stability tests on R&D superconductors for the Large Helical Device
T. Mito, J. Yamamoto, K. Takahata, N. Yanagi and O. Motojima 634–639
- Experimental results of the Nb₃Sn demo poloidal coil (DPC-EX)
Y. Takahashi, K. Yoshida, T. Ando, T. Hiyama, H. Tsuji, M. Nishi, E. Tada, K. Okuno, K. Koizumi, H. Nakajima, T. Kato, M. Sugimoto, T. Isono, K. Kawano, Y. Kamiyachi, J. Yoshida, H. Ishida, E. Kawagoe, M. Konno and S. Shimamoto 640–644
- Transient pressure increase in cable-in-conduit conductor exposed to pulsed magnetic fields
V.I. Babitch, V.V. Churbanov, C. Schmidt and H. Tateishi 645–650
- Stability and a.c. loss of Nb–Ti wire for low excitation superconducting generator
K. Ohmatsu, M. Nagata and K. Takahashi 651–654
- Tests on a 30 kVA class superconducting transformer
E.S. Yoneda, I. Tashiro, M. Moroshi and D. Ito 655–659
- Development of superconductors for a 70 MW superconducting generator
Y. Matsunobu, K. Yamaguchi, N. Maki, N. Tada, Y. Yagi and R. Shiobara 660–663
- Stability tests against thermal disturbances on rotating superconducting field windings
T. Onishi, K. Kaiho, N. Higuchi, I. Ishii, H. Nomura, H. Tateishi, K. Arai, K. Satoh and M. Inukai 664–667
- Normal zone propagating characteristics and stability criterion of the superconducting field windings for a test rotor
K. Kaiho, H. Nomura, H. Higuchi, I. Ishii, H. Tateishi, K. Arai, T. Onishi, M. Kumagai and T. Imura 668–673
- Temperature pulse evolution in a three-dimensional medium with temperature dependent heat conductivity: application to high temperature superconductor composites
A.A. Akhmetov, V.A. Altov, O.V. Filatova and V.V. Sytchev 674–675
- Preparation of aligned high T_c superconducting composite tape by laser deposition process on metallic substrate
N. Sadakata, K. Onabe, Y. Iijima, N. Futaki, O. Kohno and Y. Ikeno 676–679
- Effects of transverse heat transfer on normal zone propagation in metal-clad high temperature superconductor coil tape
M.K. Chyu and C.E. Oberly 680–686
- Transport current properties of silver-sheathed BiPbSrCaCuO wire and coil
K. Sato, T. Hikata, M. Ueyama, H. Mukai, N. Shibuta, T. Kato and T. Masuda 687–689
- Effect of light irradiation on S–N transition in BSCCO superconductor
N. Shimizu, T. Yoshida and K. Horii 690–692
- August (pp 693–772)**
- Friction and wear of polymeric materials at 293, 77 and 4.2 K
P.C. Michael, E. Rabinowicz and Y. Iwasa 695–704
- Thermal counterflow in a diverging channel: a study of radial heat transfer in He II
J.F. Kafkalidis and J.T. Tough 705–711
- ³He/⁴He mixing chamber for an ultralow temperature gravitational wave antenna
E. Coccia and I. Modena 712–714
- Minimum specimen size for composite testing at low temperature
H.H. Abdelmohsen 715–719
- High T_c superconductor voltage–current simulator and the pulse method of measuring critical current
L.F. Goodrich 720–727
- Magnetic separation of superconductors
F.J. Blunt and A.M. Campbell 728–731
- Quantitative determination of percentage superconductor in a new compound
A.M. Campbell, F.J. Blunt, J.D. Johnson and P.A. Freeman 732–737
- Influence of copper location on stability of composites made of superconducting filaments in a highly resistive matrix
P. Maccioni and B. Turck 738–748
- Study on the intrinsic thermal stability of anisotropic thin film superconductors with a line heat source
R.C. Chen and H.S. Chu 749–755
- Cryoelectrophoresis of superconducting YBa₂Cu₃O_{7-x} in liquid nitrogen
R. Eggenhoffner 756–759
- Electrical contact to high T_c superconductor
Yue Sun and Hongchuan Yang 760–762
- Calibration constant calculations for magnetic susceptibility measurements
A.F. Khoder and M. Couch 763–765
- September (pp 773–852)**
- Development of an SMA electrode to match type 316LN base metal cryogenic properties
T.A. Siewert and C.N. McCowan 775–779
- Correlation of mechanical properties with metallurgical structure for 18Ni 200 grade maraging steel at room and cryogenic temperatures
J.A. Wagner 780–785
- Work and heat flows in a pulse-tube refrigerator
M. Kasuya, M. Nakatsu, Q. Geng, J. Yuyama and E. Goto 786–790
- Regenerator effectiveness of a two-stage Gifford–McMahon cryogenerator: experimental results
A. Baldini 791–795
- Carbon and thick film chip resistors as thermometers for heat capacity measurements below 1 K
M.L. Siqueira, R.J. Viana and R.E. Rapp 796–800
- Insert for regulating temperatures between 2 and 1000 K in a liquid helium dewar: description and cryogenic analysis
A. Barlet, J.C. Genna and P. Lethuillier 801–805
- Co-axial current lead for 14 T split solenoid magnet
K. Maehata, M. Wake and H. Hirabayashi 806–810
- EuSe as magneto-optical active coating for use with the high resolution Faraday effect
Th. Schuster, M.R. Koblishcka, B. Ludescher, N. Moser and H. Kronmüller 811–816
- Normal zone propagation in adiabatic superconducting magnets. Part I: normal zone propagation velocity in superconducting composites
S.P. Zhao and Y. Iwasa 817–825

Index

- Influence of loading – unloading treatment at room temperature on superconducting properties of Nb₃Sn superconducting composite
W. Zhang, S. Ochiai and K. Osamura 826–832
- Influence of nickel substitution on flux pinning and critical currents in YBa₂Cu₃O_{7- δ}
G.K. Bichile, D.G. Kuberkar, K.M. Jadhav, S.S. Shah and R.G. Kulkarni 833–838
- Regenerator performance with sinusoidal flow
D.E. Daney 839–841

October (pp 853–924)

- Regenerator performance with noble gas mixtures
D.E. Daney 854–861
- Thermodynamic optimization of regenerators
S.K. Das and R.K. Sahoo 862–868
- Rhodium – iron resistance thermometer with fused-silica coil frame
O. Tamura and H. Sakurai 869–873
- Low temperature resistance of p-InSb(Mn)
S.A. Obukhov, B.S. Neganov, Yu.F. Kiselev, A.N. Chernikov, V.S. Vekshina, N.I. Pepik and A.N. Popkov 874–877
- Mechanical properties and fracture behaviour of polyimide (SINTIMID) at cryogenic temperatures
E. Tschegg, K. Humer and H.W. Weber 878–883
- New technique for measuring the dynamic Young's modulus between 295 and 6 K
J. Zhang, A. Nyilas and B. Obst 884–889
- Distortion of liquid helium surface in inhomogeneous magnetic field
J. Frost, M.J. Lea and P. Fozzoni 890–891
- Problems of practical use of thermoacoustics under liquid helium storage conditions
A.G. Kuzmina and S.P. Gorbachev 892–895
- Solubility of CFCI₃, CHCl₃, CCl₄ and C₂HCl₃ in liquid nitrogen at 77.4 K
B. Dąbrowska 896–899
- Fabrication of Bi-based oxide superconductors by YAG laser irradiation
M. Yuyama, H. Wada, K. Itoh and T. Kuroda 900–905
- Effect of epoxy debonding and cracking on stability of superconducting composites
V.I. Dotsenko and I.F. Kislyak 906–912
- Intragrain critical current density of superconducting compounds of the type (Pr_xY_{1-x})Ba₂Cu₃O_{7- δ}
L.S. Vaidhyanathan and G. Rangarajan 913–917
- Novel large volume horizontal cryostat
D.G. Blair, P.J. Turner, J. Devlin, F.J. van Kann, M.A. Brennan and C. Shusen 918–920
- Millikelvin heater using a light emitting diode and fibre optics
P.B. Chilson, J.C. Clark and G.G. Ihas 921–923

November (pp 925–1004)

- Effect of channel geometry on heat transfer in He II chamber
H. Tsuruga and H. Kobayashi 927–931

- Characterization of some chip resistors at low temperatures
A. Briggs 932–935
- Review of stability in high temperature superconductors with emphasis on flux jumping
S.L. Wipf 936–948
- History effect of critical current density and weak links in superconducting BiPbSrCaCuO tape wires
T. Matsushita, E.S. Otabe, B. Ni, T. Hikata and K. Sato 949–953
- Influence of thermal cycling on critical current of superconducting silver-sheathed high T_c oxide wires
S. Ochiai, K. Hayashi and K. Osamura 954–961
- Non-linear thermal relaxation waves in high T_c superconductors carrying current
T.V. Bandos 962–968
- Frictional heating of magnet structural materials at cryogenic temperatures
A. Iwabuchi and K. Komuro 969–974
- Off-axis sputtered Y₁Ba₂Cu₃O_{7- δ} films on NdGaO₃
T. Scherer, R. Herwig, P. Marienhoff, M. Neuhaus, A. Vogt and W. Jutzi 975–978
- Heat transfer crisis during liquid nitrogen cooling of high temperature superconductor
Yu. A. Kirichenko, S.M. Kozlov, K.V. Rusanov and E.G. Tyurina 979–984
- Force-cooled current leads for the force-cooled superconducting magnets of the Nuclotron
V.D. Bartenev and Yu. A. Shishov 985–987
- High T_c superconductors for SQUID detection coils
R.B. Stephens and R.L. Fagaly 988–992
- Performance of all-metal demountable cryogenic seals at superfluid helium temperatures
L.J. Salerno, A.L. Spivak and P. Kittel 993–995

December (pp 1005–1084)

- Effectiveness of corrugated surfaces in limiting the rate of evaporation of cryogenic liquids
I. Kececioğlu 1008–1019
- Application of radio frequency method to measurements in cryogenics
A.I. Alexeyev, Yu.P. Filippov, I.S. Mamedov and S.V. Romanov 1020–1029
- Arcsecond grating drive mechanism for operation at 4 K
C.H. Downey, J.R. Houck, M.J. Kubitschek and R.W. Tarde 1030–1037
- Thermodynamic analysis of processes in refrigerators using superfluid helium (He II) by means of T–q diagram
V.U. Sidiyanov, E.V. Ametistov and P.M. Kupchikhin 1038–1043
- Theoretical analysis and performance investigation of Stirling cycle regenerators
M.D. Atrey, S.L. Bapat and K.G. Narayankhedkar 1044–1052
- Simple technique for increasing the conductivity of copper for current lead conductors
B.V. Elkonin and J.S. Sokolowski 1053–1054

- Evaluation of CMOS timer integrated circuits for cryogenic use
T. Haruyama and R.K. Kirschman 1055–1064
- Behaviour of power MOSFETs at cryogenic temperatures
R. Karunanithi, A.K. Raychaudhuri, Z. Szűcs and G.V. Shivashankar 1065–1069
- Measurements of the viscosity of compressed liquid air at temperatures between 70 and 130 K
D.E. Diller, A.S. Aragon and A. Laesecke 1070–1072

Keywords

- Alloys**
Electrodes
Welds 775–779
- Calorimetry**
Measuring methods
High T_c superconductors 168–173
Superconductors
A.c. losses 363–365
Thermometry
Measuring techniques 54–57
- Carbon fibres**
Epoxy resins
Mechanical properties 265–268
Thermoplastics
Low temperature studies 257–260
Mechanical properties 252–256
- Ceramic oxides**
Flux creep
High T_c superconductivity 379–383
High T_c superconductivity
Critical currents 954–961
Superconductivity
Critical current density 949–953
- Ceramics**
Heat transfer
Pool boiling 979–984
- Chip resistors**
Thermometry
Magnetoresistance 932–935
- Composites**
Carbon fibres
Thermal properties 244–247
Fatigue 248–251
Epoxy resins
Low temperature studies 282–287
Thermal conductivity 241–243
Fibres
Space cryogenics 298–306
Mechanical properties
Epoxy resins 399–404, 715–719
Physical properties
Design applications 288–291
Polymers
Materials characterization 7–15
Radiation damage
Fusion magnets 273–276
Superconductivity
Epoxy resin 906–912
Superconductor stability
Copper 738–748
Superconductors
High T_c superconductivity 674–675
Nb₃Sn 826–832
Stability 192–203
Thermal conductivity
Fibres 238–240
Thermoplastics
Fabrication 319–322

- Copper**
 - Superconductor stability
 - Composites 738–748
- Critical current density**
 - Superconductivity
 - Ceramic oxides 949–953
- Critical currents**
 - Ceramic oxides
 - Granular superconductors 105–109
 - High T_c superconductivity
 - Ceramic oxides 954–961
 - SQUIDs 913–917
 - High T_c superconductors
 - Magnetometers 119–127
 - Measuring methods 720–727
 - Magnetization behaviour
 - Flux pinning 178–182
 - Superconductivity
 - Josephson junctions 132–135
 - Zinc 348–353
 - Superconductors
 - Flux pinning 833–838
 - High T_c superconductivity 687–689
 - Thin films
 - High T_c superconductivity 366–368
- Critical energies**
 - Superconductors
 - Superconductor stability 444–449
- Cryocoolers**
 - Regenerators
 - Stirling cycle 1044–1052
- Cryogenerators**
 - Refrigerators
 - Gifford–McMahon cycle 791–795
- Cryogenics**
 - Cryomedicine
 - Physical properties 136–137
 - Flow rate
 - Measuring methods 1020–1029
- Cryomedicine**
 - Cryogenics
 - Physical properties 136–137
- Cryostats**
 - Helium
 - Gravity wave antennas 918–922
 - Mathematical models
 - Refrigerators 147–152
 - Tunneling
 - Spectroscopy 421–424
 - Strain gauges
 - Young's modulus 884–889
 - Vibration testing
 - Space cryogenics 163–165
- Current leads**
 - Magnets
 - Solenoids 806–810
 - Residual resistance ratio
 - Annealing 1053–1054
 - Superconducting magnets
 - Force-cooling 985–987
- Epoxy resins**
 - Carbon fibres
 - Mechanical properties 265–268
 - Composites
 - Low temperature studies 282–287
 - Mechanical properties 399–404, 715–719
 - Thermal conductivity 241–243
 - Thermal conductivity
 - Low temperature studies 228–230
 - Thermal properties
 - Mechanical properties 269–272
- Faraday effect**
 - High T_c superconductors
 - Flux penetration 811–816
- Fibre-reinforced plastics**
 - Insulation
 - Mechanical properties 312–318
 - Thermal properties
 - Mechanical properties 261–264
- Flux creep**
 - Ceramic oxides
 - High T_c superconductivity 379–383
- Flux penetration**
 - Faraday effect
 - High T_c superconductors 811–816
- Flux pinning**
 - Magnetization behaviour
 - Critical currents 178–182
 - Superconductivity
 - Multifilamentary wires 431–438
 - Superconductors
 - Critical currents 833–838
- Force-cooling**
 - Superconducting magnets
 - Current leads 985–987
- Fracture behaviour**
 - Polymers
 - Mechanical properties 878–883
- Friction**
 - Superconducting magnets
 - Quench 969–974
- Gravity wave antennas**
 - Cryostats
 - Helium 918–922
- Heat capacity**
 - Thermal properties
 - Glass-ceramic 102–104
 - Thermometry
 - Resistors 796–800
- Heat exchangers**
 - Regenerators
 - Sinusoidal flow 839–841
- Heat transfer**
 - Helium
 - Boiling surfaces 392–393
 - Gorter–Mellink model 705–711
 - Superfluidity 927–931
 - Nitrogen
 - Hydrogen 64–69
 - Pool boiling
 - Ceramics 979–984
 - Refrigeration
 - Pulse-tube refrigerators 786–790
 - Silver powders
 - Ultralow temperatures 453–455
 - Superconductors
 - High T_c superconductivity
 - 680–686
 - Laser ablation 676–679
 - Magnetic stability 618–623
 - Stability 547–550
 - Superfluid helium 624–628
- Helium**
 - Cryostats
 - Gravity wave antennas 918–922
 - Gravitational waves
 - Dilution refrigerators 712–714
 - Heat transfer
 - Boiling surfaces 392–393
 - Gorter–Mellink model 705–711
 - Superfluidity 927–931
 - Leaks
 - Seals 993–995
 - Magnetic fields
 - Surface studies 890–891
 - Measuring methods
 - Flow pattern map 330–337
 - Measuring instruments
 - Two-phase flow 327–329
 - Measuring methods
 - Flowmeters 75–86
 - Refrigeration
 - Cryopump 61–63
 - Regenerators
 - Noble gases 854–861
 - Space cryogenics
 - Refrigerators 338–340
 - Superfluidity
 - Flanges 456–458
- Thermoacoustics**
 - Pressure vessels 892–895
- Thermodynamics**
 - Refrigerators 1038–1043
- Thermometry**
 - Temperature regulation 801–805
- High T_c superconductivity**
 - Ceramic oxides
 - Critical currents 954–961
 - Critical currents
 - SQUIDs 913–917
 - Measuring techniques
 - Epitaxial ferrogarnet film 373–378
 - SQUIDs
 - Low temperature electronics
 - 988–992
 - Superconducting cables
 - Turbogenerators 450–455
 - Superconductors
 - Critical currents 687–689
 - Heat transfer 680–686
 - S–N transition 690–692
 - Starting compounds 33–40
 - Thin films
 - BiPbSrCaCuO 439–449
- High T_c superconductors**
 - Calorimetry
 - Measuring methods 168–173
 - Critical currents
 - Measuring methods 720–727
 - Electrical contacts
 - Resistivities 760–762
 - Faraday effect
 - Flux penetration 811–816
 - Magnetic materials
 - Magnetic separation 728–731
 - Magnetometers
 - Critical currents 119–127
 - Materials characterization
 - Thermal cycling 209–211
 - Normal zone propagation
 - Thermal stability 962–968
- Hydrogen**
 - Heat transfer
 - Nitrogen 64–69
 - Hydrogen
 - Rocket engines 411–416
 - Instrumentation
 - Nuclear magnetic resonance
 - 138–139
- Hysteresis**
 - Superconductors
 - Hollow filaments 356–362
- Instrumentation**
 - Hydrogen
 - Nuclear magnetic resonance 138–139
 - Low temperature electronics
 - Amplifiers 48–50
 - CMOS 1055–1064
 - Thick-film resistors 58–60
 - Magnetocaloric effect
 - High T_c superconductivity 425–430
 - Measuring techniques
 - High T_c superconductors 384–387
- Insulation**
 - Fibre-reinforced plastics
 - Mechanical properties 312–318
 - Materials studies
 - Design application 307–311
 - Tokamak
 - Radiation damage 277–281
- Josephson junctions**
 - Superconductivity
 - Critical currents 132–135
- LEDs**
 - Optical fibres
 - Thermal conductivity 921–923
- Leaks**
 - Helium
 - Seals 993–995

Low temperature electronics

- High T_c superconductivity
- SQUIDs 988–992
- Instrumentation
 - Amplifiers 48–50
 - CMOS 1055–1064
 - Thick-film resistors 58–60
- MOSFETs
 - Switching 1065–1059

Low temperature studies

- Epoxy resins
 - Thermal conductivity 228–230
- Polymers
 - Fatigue 231–233
- Physical properties 695–704

Magnetic fields

- Helium
 - Surface studies 890–891
- Materials characterization
 - Thin films 41–47
- Physical properties
 - Model 128–131
- Thermometers
 - Magnetoresistance 417–420
 - Platinum resistance thermometers 16–20
- Thermometry
 - Platinum NMR 94–98

Magnetic materials

- High T_c superconductors
 - Magnetic separation 728–731
- Thermal conductivity
 - Regenerators 405–410

Magnetic properties

- Mathematical models
 - Calibration 763–770

Magnetization

- Mechanical properties
 - Superconducting cables 51–53
- Refrigerators
 - Thermodynamics 99–101

Magnetization behaviour

- Critical currents
 - Flux pinning 178–182
- Superconductors
 - Transition temperature 732–737

Magnetocaloric effect

- Instrumentation
 - High T_c superconductivity 425–430
- Magnetic field
 - Magnetic entropy charge 166–167

Magnetometers

- High T_c superconductors
 - Critical currents 119–127
- SQUIDs
 - High T_c superconductivity 369–372

Magnetoresistance

- Chip resistors
 - Thermometry 932–935
- Thermometry
 - Thermoresistors 874–877

Magnets

- Current leads
 - Solenoids 806–810
- Superconductors
 - Magnetic stability 580–584

Materials characterization

- Composites
 - Polymers 7–15
- High T_c superconductors
 - Thermal cycling 209–211
- Magnetic fields
 - Thin films 41–47
- Solders
 - Indium 159–162
- Thermal conductivity
 - Physical properties 3–6

Mathematical models

- Cryostats
 - Refrigerators 147–152

Magnetic properties

- Calibration 763–770

Measuring instruments

- Helium
 - Two-phase flow 327–329

Measuring methods

- Calorimetry
 - High T_c superconductors 168–173
- Cryogenics
 - Flow rate 1020–1029
- Helium
 - Flowmeters 75–86
- High T_c superconductors
 - Critical currents 720–727
- Physical properties
 - Resistivity 153–158
- Superconductors
 - Efficiency 204–208

Measuring techniques

- High T_c superconductivity
 - Epitaxial ferrogarnet film 373–378
- Instrumentation
 - High T_c superconductors 384–387
- Superconductors
 - Critical currents 174–177
- Viscosity
 - Liquid air 1070–1072

Mechanical properties

- Carbon fibres
 - Epoxy resins 265–268
- Composites
 - Epoxy resins 399–404, 715–719
- Epoxy resins
 - Thermal properties 269–272
- Fibre-reinforced plastics
 - Insulation 312–218
- Magnetization
 - Superconducting cables 51–53
- Polymers
 - Fracture behaviour 878–883
- Steel
 - Metallurgical characterization 780–785
- Superconductors
 - Superconducting magnets 292–297

Model

- Physical properties
 - Magnetic fields 128–131
- Superconductors
 - Flux pump 459–460
- Thermal properties
 - Corrugated surfaces 1008–1019

Multifilamentary wires

- Superconducting magnets
 - Proximity effects 183–191
- Superconductivity
 - Flux pinning 431–438

Nb–Ti

- Superconducting magnets
 - Superconductor stability 341–347

Nitrogen

- Heat transfer
 - Hydrogen 64–69

Noble gases

- Regenerators
 - Helium 854–861

Normal zone propagation

- High T_c superconductors
 - Thermal stability 962–968

Optical fibres

- LEDs
 - Thermal conductivity 921–923

Physical properties

- Composites
 - Design applications 288–291
- Cryomedicine
 - Cryogenics 136–137
- Magnetic fields
 - Model 128–131

Measuring methods

- Resistivity 153–158
- Polymers
 - Low temperature studies 695–704
- Superconductors
 - Superconductor stability 21–32
- Thermal conductivity
 - Materials characterization 3–6

Polymers

- Composites
 - Materials characterization 7–15
- Fracture behaviour
 - Mechanical properties 878–883
- Fracture energy
 - Low temperature studies 234–237
- Low temperature studies
 - Fatigue 231–233
- Physical properties
 - Low temperature studies 695–704
- Spectroscopy
 - Photochemical hole burning 223–227
- Thermal properties
 - Mechanical properties 220–222

Pool boiling

- Heat transfer
 - Ceramics 979–984
- Superconductors
 - Stability 533–537

Quench

- Superconducting magnets
 - Friction 969–974
- Superconductors
 - A.c. losses 598–600
 - Numerical modelling 645–650

Refrigeration

- Heat transfer
 - Pulse-tube refrigerators 786–790

Refrigerators

- Cryogenerators
 - Gifford–McMahon cycle 791–795
- Magnetization
 - Thermodynamics 99–101
- Mathematical models
 - Cryostats 147–152
- Space cryogenics
 - Helium 338–340
- Thermodynamics
 - Helium 1038–1043

Regenerators

- Cryocoolers
 - Stirling cycle 1044–1052
- Heat exchangers
 - Sinusoidal flow 839–841
- Noble gases
 - Helium 854–861
- Thermal conductivity
 - Magnetic materials 405–410
- Thermodynamics
 - Optimization 862–868

Rhodium–iron

- Thermometry
 - Resistance thermometer 869–873

SQUIDs

- High T_c superconductivity
 - Low temperature electronics 988–992

Seals

- Helium
 - Leaks 993–995

Sinusoidal flow

- Heat exchangers
 - Regenerators 839–841

Solders

- Materials characterization
 - Indium 159–162

Solubility

- Liquid nitrogen
 - Halogenhydrocarbons 896–899

Space cryogenics

- Grating drive mechanism
 - Infrared spectograph 1030–1037

- Refrigerators
 - Helium 338–340
- Steel**
 - Mechanical properties
 - Metallurgical characterization 780–785
- Stirling cycle**
 - Regenerators
 - Cryocoolers 1044–1052
- Superconducting cables**
 - A.c. losses
 - Stability 594–597
 - High T_c superconductivity
 - Turbogenerators 450–455
 - Mechanical properties
 - Magnetization 51–53
 - Nb₃Sn
 - Stress effects 390–391
- Superconducting magnets**
 - Current leads
 - Force-cooling 985–987
 - Multifilamentary wires
 - Proximity effects 183–191
 - Quench
 - Friction 969–974
 - Superconductor stability
 - Nb–Ti 341–347
 - Superconductors
 - Magnet stability 570–574
 - Magnetic stability 575–579
 - Mechanical properties 292–297
 - Quench protection 557–561, 562–565, 566–569
 - Stability 504–509
 - Composites
 - Normal zone propagation 817–835
- Superconducting oxides**
 - Thin films
 - Cryoelectrophoresis 756–759
- Superconductivity**
 - Ceramic oxides
 - Critical current density 949–953
 - Composites
 - Epoxy resin 906–912
 - Critical currents
 - Zinc 348–353
 - Josephson junctions
 - Critical currents 132–135
 - Multifilamentary wires
 - Flux pinning 431–438
 - Thermal conductivity
 - Phase diagram 388–389
- Superconductor stability**
 - Composites
 - Copper 738–748
 - Cooling
 - Stability analysis 110–118
 - Superconducting magnets
 - Nb–Ti 341–347
- Superconductors**
 - A.c. losses
 - Hysteresis 601–606
 - Quench current 607–617
 - Calorimetry
 - A.c. losses 363–365
 - Composites
 - High T_c superconductivity 674–675
 - Nb₃Sn 826–832
 - Stability 192–203
 - Critical currents
 - Flux pinning 833–838
 - Critical energies
 - Superconductor stability 444–449
 - Heat transfer
 - High T_c superconductivity 680–686
 - Laser ablation 676–679
 - Magnetic stability 618–623
 - Stability 547–550
 - Superfluid helium 624–628
- High T_c superconductivity
 - Critical currents 687–689
 - Flux stability 936–948
 - S–N transition 690–692
 - Starting compounds 33–40
- Hysteresis
 - Hollow filaments 356–362
- Magnetic stability
 - A.c. losses 612–617, 651–654
 - Forced flow cooling 551–556
 - Generators 660–663, 664–667
 - Large Helical Device 634–639
- Magnetization behaviour
 - Transition temperature 732–737
- Magnets
 - Magnetic stability 580–584
- Measuring methods
 - Efficiency 204–208
- Measuring techniques
 - Critical currents 174–177
- Mechanical properties
 - Superconducting magnets 292–297
- Model
 - Flux pump 459–460
- Oxide superconductors
 - YAG lasers 900–905
- Physical properties
 - Superconductor stability 21–32
- Pool boiling
 - Stability 533–537
- Quench
 - A.c. losses 598–600
 - Numerical modelling 645–650
- Stability
 - Copper to superconductor ratio 528–532
 - Current density 499–503
 - Design criteria 510–515
 - Generators 668–673
 - Magnetic shield 524–527
 - Quench energy 521–523, 543–546
 - Review 489–498
 - SMES 538–542
 - Superfluid helium 516–520
- Superconducting magnets
 - Magnet stability 570–574
 - Magnetic stability 575–579
 - Quench protection 557–561, 562–565, 566–569
 - Stability 504–509
- Superconducting switches
 - Magnetic stability 590–593
- Thermal stability
 - Thin films 749–755
- Tokamak
 - Fusion 640–644
- YBCO
 - Thin films 975–978
- Superconducting magnets
 - Magnetic stability 585–589
- Tore Supra
 - Magnetic stability 629–633
- Superfluidity**
 - Helium
 - Flanges 456–458
 - Heat transfer 927–931
 - Temperature measurement
 - Helium 87–93
- Temperature measurement**
 - Superfluidity
 - Helium 87–93
- Thermal conductivity**
 - Composites
 - Fibres 238–240
- Epoxy resins
 - Composites 241–243
 - Low temperature studies 228–230
- Materials characterization
 - Physical properties 3–6
- Optical fibres
 - LEDs 921–923
- Regenerators
 - Magnetic materials 405–410
- Superconductivity
 - Phase diagram 388–389
- Thermal properties**
 - Corrugated surfaces
 - Model 1008–1019
- Epoxy resins
 - Mechanical properties 269–272
- Heat capacity
 - Glass-ceramic 102–104
- Polymers
 - Mechanical properties 220–222
- Thermal stability**
 - High T_c superconductors
 - Normal zone propagation 962–968
 - Superconductors
 - Thin films 749–755
- Thermoacoustics**
 - Helium
 - Pressure vessels 892–895
- Thermodynamics**
 - Refrigerators
 - Helium 1038–1043
 - Magnetization 99–101
 - Regenerators
 - Optimization 862–868
- Thermometers**
 - Magnetic fields
 - Magnetoresistance 417–420
 - Platinum resistance thermometers
 - 16–20
- Thermometry**
 - Calorimetry
 - Measuring techniques 54–57
 - Chip resistors
 - Magnetoresistance 932–935
 - Heat capacity
 - Resistors 796–800
 - Helium
 - Temperature regulation 801–805
 - Magnetic fields
 - Platinum NMR 94–98
 - Magnetoresistance
 - Thermoresistors 874–877
 - Rhodium–iron
 - Resistance thermometers 869–873
- Thin films**
 - Critical currents
 - High T_c superconductivity 366–368
 - High T_c superconductivity
 - BiPbSrCaCuO 439–449
 - Magnetic fields
 - Materials characterization 41–47
 - Superconducting oxides
 - Cryoelectrophoresis 756–759
 - Superconductors
 - Thermal stability 749–755
 - YBCO 975–978
- Tunneling**
 - Cryostats
 - Spectroscopy 421–424
- YBCO**
 - Superconductors
 - Thin films 975–979
- Zinc**
 - Superconductivity
 - Critical currents 348–353

Authors

- Abdelmohsen, H.H. 399-404, 715-719
 Agatsuma, K. 551-556
 Ahlborn, K. 252-256, 257-260
 Akhmetov, A. 674-675
 Akita, S. 598-600, 601-606
 Alexeyev, A.I. 330-337, 1020-1029
 Alford, N.McN. 119-127
 Alsop, D. 338-340
 Altov, V. 674-675
 Amano, T. 110-118
 Amemiya, N. 528-532, 585-589, 607-617
 Ametistov, E.V. 1038-1043
 Anderson, P. 388-389
 Ando, T. 640-644
 Ando, Y. 601-606
 Andres, K. 54-57
 Aoki, N. 570-574
 Aragon, A.S. 1070-1072
 Arai, K. 664-667, 668-673
 Arndt, K.F. 228-230
 Asner, A. 390-391
 Atrey, M.D. 1044-1052
 Babitch, V.I. 645-650
 Baldini, A. 791-795
 Bandos, T.V. 962-968
 Bansemir, H. 298-306
 Bapat, S.L. 1044-1052
 Barlet, A. 801-805
 Bartenev, V.D. 985-987
 Bassan, M. 147-152
 Belyaeva, A.I. 373-378
 Benke, A. 159-162
 Bernstein, G. 99-101
 Bichile, G.K. 833-838
 Blair, D.G. 918-922
 Blunt, F.J. 728-731, 732-737
 Bobo, J.C. 51-53
 Bona, M. 390-391
 Bottura, L. 510-515
 Brennan, M.A. 918-922
 Briggs, A. 932-935
 Brown IV, J.N. 341-347
 Brunet, Y. 51-53
 Button, T.W. 119-127
 Churbanov, V.V. 645-650
 Callaghan, M.T. 282-287
 Campbell, A.M. 728-731, 732-737
 Candela, D. 94-98
 Caplin, A.D. 33-40
 Cardwell, D.A. 105-109
 Changlian, Yi 580-584
 Chen, Rong-Chang 749-755
 Chernikov, A.N. 874-877
 Cherpak, N.T. 384-387
 Chilson, P.B. 921-923
 Chu, Hsin-Sen 749-755
 Chubraeva, L.I. 450-455
 Chyu, M. 680-686
 Clark, J.C. 921-923
 Coccia, E. 147-152, 712-714
 Cockburn, J.W. 105-109
 Colclough, M.S. 119-127
 Collocott, S.J. 102-104
 Couach, M. 763-770
 Cowey, L. 105-109
 Dąbrowska, B. 896-899
 Dall'Oglio, G. 61-63
 Daney, D.E. 839-841, 854-861
 Das, S.K. 862-868
 Devlin, J. 918-922
 Dietzfelbinger, S.H. 128-131
 Diller, D.E. 1070-1072
 Doi, K. 543-546
 Donat, B. 159-162
 Dotsenko, V.I. 906-912
 Downey, C.H. 48-50, 1030-1037
 Dresner, L. 489-498, 557-561
 Duband, L. 338-340
 Dubé, W.P. 3-6
 Dummer, D. 388-389
 Edwards, C.M. 138-139
 Eggenhoffner, R. 756-759
 Eggers, H. 265-268
 Egusa, S. 7-15
 Eikelboom, J.A. 356-362, 363-365
 Elkonin, B.V. 1053-1054
 Evans, D. 220-222, 292-297
 Fagaly, R.L. 988-992
 Fevrier, A. 51-53
 Filatova, O. 674-675
 Filippov, Yu.P. 330-337, 1020-1029
 Forostenko, A.A. 459-460
 Fozooni, P. 890-891
 Freeman, P.A. 732-737
 Freidberg, J.P. 21-32
 Fröhlich, K. 590-593
 Frost, J. 890-891
 Funaki, K. 431-438, 594-597
 Futaki, N. 676-679
 Gallinaro, G. 58-60
 Gatti, F. 58-60
 Ge, Shuangyan 136-137
 Geng, Q. 786-790
 Genna, J.C. 801-805
 Glebov 450-455
 Goodrich, L.F. 720-727
 Gorbachev, S.P. 204-208, 892-895
 Goto, E. 786-790
 Gough, C.E. 119-127
 Gupta, A.K. 209-211
 Gutmiedel, P. 54-57
 Haarer, D. 223-227
 Haider, O. 298-306
 Halász, I. 33-40
 Hara, N. 183-191, 431-438, 566-569
 Harrison, J.P. 369-372
 Hartung, W. 265-268
 Hartwig, G. 231-233, 234-237, 244-247
 Hartwig, K.T. 153-158
 Haruyama, T. 1055-1064
 Hashimoto, T. 405-410
 Hashizume, H. 601-606
 Hayashi, K. 954-961
 Hayata, S. 338-340
 Heidinger, M. 366-368
 Herwig, R. 975-978
 Higuchi, H. 668-673
 Higuchi, N. 664-667
 Hikata, T. 687-689, 949-953
 Hirabayashi, H. 806-810
 Hirokawa, T. 261-264, 273-276, 288-291
 Hiyama, T. 640-644
 Hlásnik, I. 590-593
 Holmes, D.S. 75-86
 Hong, C.S. 87-93
 Honjo, S. 504-509
 Horii, K. 690-692
 Houck, J.R. 1030-1037
 Hua, C.Y. 153-158
 Huang, X. 75-86
 Huang, Zhongping 136-137
 Humer, K. 312-318, 878-883
 Ihas, G.G. 921-923
 Iijima, Y. 676-679
 Ikeno, Y. 676-679
 Imura, T. 668-673
 Inada, Y. 453-455
 Inukai, M. 664-667
 Isaykin, V.N. 459-460
 Ishida, H. 640-644
 Ishigohka, T. 562-565
 Ishii, I. 664-667, 668-673
 Ishimaru, H. 456-458
 Isono, T. 640-644
 Ito, T. 533-537
 Itoh, K. 900-905
 Itoh, W. 453-455
 Iwabuchi, A. 969-974
 Iwakuma, M. 594-597
 Iwasa, Y. 174-177, 261-264, 341-347, 575-579, 695-704, 817-835
 Iwasaki, Y. 273-276, 288-291
 Jäckel, M. 269-272, 228-230
 Jadhav, K.M. 833-838
 Jakob, B. 390-391
 Jansak, L. 590-593
 Jie, Qin 580-584
 Johnson, J.D. 732-737
 Jones, H. 105-109
 Jutzi, W. 975-978
 Kadel, K. 366-368
 Kafkalidis, J.F. 705-711
 Kagami, H. 585-589
 Kaiho, K. 664-667, 668-673
 Kamafuji, K. 183-191
 Kamitani, A. 110-118
 Kamiyauchi, Y. 640-644
 Kanemoto, G. 277-281
 Kármán, T. 33-40
 Karunanithi, R. 1065-1069
 Kasahara, H. 598-600
 Kasuya, M. 786-790
 Katagiri, K. 524-527
 Katheder, H. 327-329
 Kato, H. 16-20, 417-420, 425-430
 Kato, T. 640-644, 687-689
 Kawagoe, E. 640-644
 Kawano, K. 640-644
 Kecicioglu, I. 1008-1019
 Khare, N. 209-211
 Khoder, A.F. 763-770
 Kim, J.-K. 547-550
 Kirichenko, A.Ya. 384-387
 Kirichenko, S.M. 979-984
 Kirschman, R.K. 1055-1064
 Kirschner, I. 33-40
 Kiselev, Yu.F. 874-877
 Kislyak, I.F. 906-912
 Klemens, P.G. 238-240
 Klimova, E.B. 459-460
 Knaak, S. 231-233, 265-268
 Knight, G.W. 292-297
 Kobayashi, H. 927-931
 Koblishchka, M.R. 811-816
 Kohl, M. 369-372
 Kohn, O. 676-679
 Koizumi, K. 640-644
 Kokavec, J. 590-593
 Komuro, K. 969-974
 Konno, M. 640-644
 Konzyuba, O.B. 459-460
 Kovács, Gy. 33-40
 Kozlov, K.V. 979-984
 Kozorezov, V.G. 459-460
 Krah, F. 244-247
 Krikunov, A.A. 204-208
 Kronmüller, H. 811-816
 Kuberkar, D.G. 833-838
 Kubitschek, M.J. 1030-1037
 Kubota, H. 533-537
 Kubota, Y. 601-606
 Kulagin, V.A. 459-460
 Kulkarni, R.G. 833-838
 Kumagai, M. 668-673

- Kupchikhin, P.M. 1038-1043
 Kurisho, Y. 562-565
 Kuroda, K. 547-500, 566-569
 Kuroda, T. 900-905
 Kuwahara, H. 392-393
 Kuzmina, A.G. 892-895
- Labov, S. 99-101
 Laesecke, A. 1070-1072
 Lähderanta, E. 33-40
 Laiho, R. 33-40
 Landis, D. 99-101
 Lange, A. 338-340
 Laverty, J. 33-40
 Lawless, W.N. 41-47
 Lea, M.J. 890-891
 Leppävuori, S. 33-40
 Leriche, A. 51-53
 Lethuillier, P. 801-805
 Li, L. 439-449
 Li, R. 405-410
 Li, Shimo 136-137
 Liang, Zhang 87-93
 Licea Claverie, A. 228-230
 Lin, Peng 87-93
 Lin, T.-Y. 411-416
 Lubescher, B. 811-816
 Luguang, Yan 580-584
- Maccioni, P. 192-203, 738-748
 Madden, N. 99-101
 Maeda, H. 570-574
 Maehata, K. 806-810
 Maki, N. 660-663
 Malinowski, L. 444-449
 Mamedov, I.S. 330-337, 1020-1029
 Mao, Yuzhu 87-93
 Marienhoff, P. 975-978
 Markov, A.A. 459-460
 Martinis, L. 61-63
 Masuda, T. 687-689
 Mathu, F. 168-173
 Matsumoto, K. 431-438
 Matsumoto, T. 338-340
 Matsunobo, Y. 660-663
 Matsushita, T. 431-438, 949-953
 Mawatari, Y. 183-191, 431-438
 McAllaster, D.R. 94-98
 McCowan, C.N. 775-779
 McDonald, L.C. 153-158
 McManamy, T.J. 277-281
 Meijer, H.C. 168-173
 Menci, N. 147-152
 Meuris, C. 624-628
 Michael, P.C. 695-704
 Millet, I. 99-101
 Minervini, J.V. 510-515
 Mitchell, N. 510-515
 Mito, T. 634-639
 Miura, O. 431-438
 Miya, K. 601-606
 Modena, I. 147-152, 712-714
 Morgan, J.T. 220-222
 Moser, N. 811-816
 Motojima, O. 634-639
 Muir, D. 183-191
 Mukai, H. 687-689
 Müller, M. 228-230
- Nagata, M. 651-654
 Nakajima, H. 640-644
 Nakamura, N. 379-383
 Nakamura, S. 521-523
 Nakashima, M. 594-597
 Nakatsu, M. 786-790
 Nara, K. 16-20, 417-420, 425-430
 Narayankhedkar, K.G. 1044-1052
 Neganov, B.S. 874-877
 Neuhaus, M. 975-978
 Ni, B. 949-953
- Nikitin, S.A. 166-167
 Nishi, M. 640-644
 Nishijima, S. 261-264, 273-276, 288-291, 307-311, 524-527
 Noguchi, H. 392-393
 Noma, K. 261-264, 288-291
 Nomura, H. 664-667, 668-673
 Nöther, G. 366-368
 Nyilas, A. 884-889
- O'Connor, D.A. 119-127
 Oberly, C.E. 680-686
 Obst, B. 884-889
 Obukhov, S.A. 874-877
 Ochiai, S. 826-832, 954-961
 Ogasawara, T. 601-606
 Ogata, H. 392-393
 Ogawa, M. 405-410
 Ohara, A. 110-118
 Ohmatsu, K. 651-654
 Oishi, Y. 607-617
 Ojha, V.N. 209-211
 Okada, S. 547-550
 Okada, T. 261-264, 273-276, 288-291, 307-311, 524-527
 Okaji, M. 16-20, 417-420, 425-430
 Okuno, K. 640-644
 Onabe, K. 676-679
 Onishi, T. 664-667, 668-673
 Osamura, K. 826-832, 954-961
 Oshida, K. 640-644
 Otabe, E.S. 949-953
- Pakhomov, V.Ya. 459-460
 Pan, Huaiyu 136-137
 Pannkoek, K. 248-251
 Pasztor, G. 390-391
 Pepik, N.I. 874-877
 Peterson, R.L. 132-135
 Pfotenhauer, J. 538-542
 Piccirillo, L. 61-63
 Pizzo, L. 61-63
 Plötnner, M. 159-162
 Popkov, A.N. 874-877
 Porjesz, T. 33-40
 Postma, H. 168-173
 Probst, Chr. 54-57
- Rabinowicz, E. 695-704
 Rammig, R. 64-69
 Rangarajan, G. 913-917
 Rapp, R.E. 796-800
 Raychaudhuri, A.K. 421-424, 1065-1069
 Reddy, G.S.N. 209-211
 Reiner, J. 366-368
 Reul, S. 223-227
 Richards, M.G. 128-131
 Richards, P. 99-101
 Richter, W. 223-227
 Romanov, A.N. 459-460
 Romanov, S.V. 1020-1029
 Rusanov, E.G. 979-984
- Schmidt, C. 645-650
 Saatkamp, T. 234-237
 Sadakata, N. 676-679
 Sahoo, R.K. 862-868
 Sakuri, H. 869-873
 Salerno, L.J. 993-995
 Sano, T. 543-546
 Sato, K. 687-689, 949-953
 Sato, S. 338-340, 607-611
 Sato, K. 664-667
 Satoh, K. 664-667
 Sawada, A. 453-455
 Schauer, W. 366-368
 Scheibner, W. 269-272
 Scherer, T. 975-978
 Schlegelmilch, R. 163-165
 Schmidt, C. 618-623
- Schomburg, W.K. 366-368
 Schuster, Th. 811-816
 Schwartz, J. 21-32
 Schwarz, G. 244-247
 Sekiya, S. 110-118
 Seo, K. 524-527
 Serebryakov, B.A. 459-460
 Shah, S.S. 833-838
 Shibuta, N. 687-689
 Shimamoto, S. 640-644
 Shimizu, H. 607-617
 Shimizu, N. 690-692
 Shimotami, M. 379-383
 Shinozaki, A. 453-455
 Shiobara, R. 660-663
 Shishov, Y.A. 985-987
 Shivashankar, G.V. 1065-1069
 Shusen, C. 918-922
 Sidyganov, V.U. 1038-1043
 Siewert, T.A. 775-779
 Silver, E. 99-101
 Siqueira, M.L. 796-800
 Slifka, A.J. 3-6
 Snook, P. 277-281
 Sokolowski, J.S. 1053-1054
 Song, Naihao 87-93
 Sparks, L.L. 3-6
 Srikanth, H. 421-424
 Stephens, R.B. 988-992
 Sugimoto, M. 640-644
 Sugita, T. 607-617
 Sugiura, T. 601-606
 Sullivan, N.S. 138-139
 Sun, Yue 760-762
 Süsner, M. 327-329
 Sysoev, N.A. 459-460
 Sytchev, V. 674-675
 Szűcs, Z. 1065-1069
- Tateishi, H. 645-650
 Tada, E. 640-644
 Tada, N. 660-663
 Takahashi, K. 651-654
 Takahashi, Y. 640-644
 Takahata, K. 307-311, 634-639
 Takao, T. 504-509, 607-617
 Takeo, M. 594-597
 Tamura, O. 869-873
 Tanak, Y. 183-191, 431-438, 543-546, 607-617
- Tarde, R.W. 1030-1037
 Tateishi, H. 664-667, 668-673
 Terreni, S. 58-60
 Tidecks, R. 348-353
 Tishin, A.M. 166-167
 Tixador, P. 51-53
 Tomar, V.S. 209-211
 Tominka, T. 566-569
 Torii, S. 598-600, 601-606
 Tough, J.T. 705-711
 Tschegg, E. 312-318, 878-883
 Tsuji, H. 640-644
 Tsukamoto, O. 504-509, 528-532, 585-589, 607-617
- Tsuruga, H. 927-931
 Turck, B. 192-203, 629-633, 738-748
 Turner, P.J. 918-922
 Tyurina, E.G. 979-984
- Uchiyama, G. 570-574
 Ueyama, M. 687-689
 Urata, M. 570-574
 Ustjushanin, E.E. 241-243
 Uusimäki, A. 33-40
- Vaidhyanathan, L.S. 913-917
 van de Klundert, L. 356-362, 612-617
 Van Sciver, S.W. 75-86, 516-520
 Vasil'ev, V.V. 459-460

Index

Vedrine, P.	51-53	Wilson, N.	499-503	Yokoyama, S.	521-523
Vekshina, V.S.	874-877	Windte, V.	366-368	Yoneyama, Y.	607-611
Viana, R.J.	796-800	Wipf, S.L.	936-948	Yoshida, J.	640-644
Vogt, A.	975-978			Yoshida, T.	690-692
Vojtsenya, S.V.	373-378	Xiong, X.Z.	178-182	Yoshiki, H.	456-458
		Xu, P.	439-449	Yu, A.	979-984
Wada, H.	900-905			Yuan, S.L.	178-182
Wagner, H.-J.	248-251	Yagi, Y.	660-663	Yuriyev, V.P.	373-378
Wagner, J.A.	780-785	Yamada, K.	543-546	Yuyama, J.	786-790
Wake, M.	806-810	Yamada, T.	521-523	Yuyama, M.	900-905
Walia, D.K.	209-211	Yamafuji, K.	431-438, 594-597		
Wang, Qun	136-137	Yamaguchi, K.	660-663		
Wang, Y.H.	439-449	Yamamoto, J.	307-311, 634-639	Zeiss, C.	163-165
Wang, Y.G.	178-182	Yamamoto, S.	521-523	Zhang, J.	884-889
Weber, H.W.	312-318, 878-883	Yamamura, S.	585-589	Zhang, Liang	87-93
Weisend II, J.G.	75-86	Yanagi, N.	634-639	Zhang, Qinggeng	87-93
Weiss, R.	64-69, 319-322	Yang, Hongchuan	760-762	Zhang, W.	826-832
Wellhofer, F.	119-127	Yang, X.	348-353	Zhang, Y.Z.	439-449
Weyhmann, W.	388-389	Yang, Y.	178-182	Zhao, Haoping	136-137
White, G.K.	102-104	Yasuda, J.	261-264, 273-276,	Zhao, Y.Y.	439-449
Willekers, R.W.	168-173		288-291	Zhao, Z.P.	817-835
Williams, J.E.C.	21-32	Yatabe, S.	607-611	Zhou, D.	138-139

Conference reports

Low temperature engineering and cryogenics conference 1990 (LTEC 90), Southampton, UK, 17-19 July 1990
J.B. Gardner 212

1990 Applied superconductivity conference, Snowmass, Colorado, USA, 24-28 September 1990
A.F. Clark 213-214

Book reviews

Separation of Gases: Monographs on Cryogenics (In collaboration with the British Cryogenics Council) by W.H. Isalski
J.B. Gardner 70

Supercollider 1, edited by M. McAshan
H. Desportes 323

Advances in Cryogenic Engineering: Volumes 35A and B, edited by R.W. Fast
G.-B. Chen and Q.-R. Zhang 766

Superconductivity in Energy Technologies: Assessment, Concepts and New Aspects by C. Albrecht *et al.*
P. Komarek 767

High Temperature Superconductivity, edited by J.W. Lynn
H.W. Weber 767-768

Advances in Cryogenics: Proceedings of the International conferences on Cryogenics, INCONCRYO-88, edited by A. Bose and P. Sengupta
R. Srinivasan 768

Organic Superconductors by T. Ishiguro and K. Yamaji
V. Kresin 769

Cryopreparation of Thin Biological Specimens for Electron Microscopy: Methods and Applications by N. Roas and A.J. Morgan
K. Zierold 769-770

Fluid Dynamics and Heat Transfer in Superconducting Equipment by Z.L. Miropolsky and R.I. Soziev
A. Hofmann 996

